MATERIAL	SAFE	ΓY DA	ATA	SH	IEE'	Γ				
SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION										
PRODUCT NAME: Flat Latex Mid Tone										
Product Code Identification Number: 184P320	MSDS Numb	er:					Construction of the second			
GENERAL USE: Protective Coating						LE	Pair	nt		
PRODUCT DESCRIPTION: Vinyl acrylic latex coating	slight ammonia (odor								
MANUFACTURER'S NAME	, oligint arminorita (DATE PREP		August 26	\$ 2002					
Ace Hardware Paint Division		SUPERSED		New	, 2002		Page 1	of 4		
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON		r for in	FORMAT	ION	•			
21901 South Central Avenue		(800) 311-								
(CITY, STATE AND ZIP CODE) Matteson, IL 60443-2800	COUNTRY USA	EMERGENC Infotrac (80				(352) 32	23-3500			
DISTRIBUTOR'S NAME	00/1			<u> </u>		(002) 02				
Ace Hardware Corporation										
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON		R FOR IN	FORMAT	ION				
2200 Kensington Court (CITY, STATE AND ZIP CODE)	COUNTRY	(800) 311- EMERGENC								
Oak Brook, IL 60523-2100	USA					(352) 32	23-3500			
Oak Brook, IL 60523-2100 USA Infotrac (800) 535-5053 Outside USA (352) 323-3500 SECTION 2 - HAZARDOUS INGREDIENTS										
	<u> </u>	%	OSH/	-	ACGI	1 TWA	SARA	RQ		
HAZARDOUS COMPONENTS	CAS #	(by weight)	PPM	MG/M ³	PPM	MG/M ³	TITLE III	LBS		
Ethylene glycol (a,b,c)	107-21-1	1 - 5				100 C	Yes	5000		
 (a,c) See Section 15 (b) A "C" in the OSHA PEL or ACGIH TWA column indicates exposure. 	ceiling limits, the co	oncentration that	should not	be exceede	ed during a	ny part of t	he working			
SECTION	3 - HAZARI	DS IDENT	IFICAT							
EMERGENCY OVERVIEW	0 MAZAN									
WARNING! Harmful or fatal if swallowed, harmful if inh to skin, eyes, and respiratory tract. Affects central ner										
POTENTIAL HEALTH EFFECTS INHALATION: High concentrations in the form of vapor	ore or miete ere im	itating to the re-	eniroton (t	ract: max		dacha d		201600		
and vomiting.			spiratory t	iaci, may	cause nea	uache, u	122111055, 116	lusea		
SKIN: Brief contact may cause slight irritation; prolong	ged contact may c	ause moderate	irritation	or dermati	tis.					
EYES: High vapor concentration or contact may cause	e irritation and dis	comfort.								
INGESTION: May cause abdominal discomfort or pair	n, nausea, vomitin	ıg, dizziness, or	possible	convulsior	ns or coma	a; large de	oses may b	e fatal.		
CARCINOGENICITY This product contains trace amounts of the following su and Acetaldehyde.	NTP? ubstances known			OGRAPHS?	No ancer: 1,4		REGULATED? e, Ethylene	No Oxide,		

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Flat Latex Mid Tone August 26, 2002

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.

SKIN: Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

EYES: Remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; Induce vomiting by sticking fingers down throat; never give anything by mouth to an unconscious person; seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS L	EL:	Not applicable	UEL: Not applic	able
Non-flammable	AUTOIGNITION TEMPERATURE	E:	Not determined	NFPA CLASS:	None

GENERAL HAZARDS: Product is not considered flammable or combustible. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

EXTINGUISHING MEDIA

Carbon dioxide, water, water fog, dry chemical, chemical foam

FIRE FIGHTING PROCEDURES

Keep containers cool with water spray to prevent container rupture due to steam buildup; floor will become slippery if material is released.

UNUSUAL FIRE AND EXPLOSION HAZARDS None

HAZARDOUS COMBUSTION PRODUCTS

Smoke, fumes, oxides of carbon

SECTION 6 - ENVIRONMENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Small spills - wash to sanitary sewer with plenty of water.. Large spills - confine spill, soak up with approved absorbent, shovel product into approved container; for spills in excess of allowable limits (RQ) notify the National Response Center (800) 424 - 8802; refer to SARA Title III, Section 313 40 CFR 372, and CERCLA 40 CFR 302 for complete regulations concerning reporting requirements.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Keep this and other chemicals out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS

The use of local exhaust ventilation is recommended. No other special controls are indicated.

PERSONAL PROTECTION:

RESPIRATORY PROTECTION (SPECIFY TYPE): None required while threshold limits (Section 2) are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

PROTECTIVE GLOVES: Neoprene or rubber gloves with cuffs.

EYE PROTECTION: Protective eyeglasses or chemical safety goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyebath nearby

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET						
PRODUCT NAME: Flat Latex Mid Tone				Page 3 of 4		
August 26, 2002 SECTION 9 - PHY						
VAPOR PRESSURE (MM Hg)	SICAL AN		ISITY (AIR = 1)			
17 mm Hg @ 20 ° C	> 1					
SPECIFIC GRAVITY (WATER = 1)			ION RATE (WATER = 1)			
1.272 SOLUBILITY IN WATER		< 1 FREEZING I				
Dispersible 32° F (0° C)						
pH		APPEARANCE AND ODOR				
8.5 - 9.0 White viscous liquid, slight ammonia odor BOILING POINT PHYSICAL STATE						
214°F (101° C)	Liquid					
VISCOSITY (KREBS)						
100 - 105						
SECTION 10	J-STABIL	1				
STABILITY UNSTABLE: STABLE:	xxx	CONDITIONS Extreme ten	nperatures, keep from freezing			
INCOMPATIBILITY (MATERIALS TO AVOID):	7000					
Strong oxidizers, strong acids						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: carbon, hydrocarbons, fumes, and smoke may be prod		n will not occur if	handled and stored properly.	In case of a fire, oxides of		
HAZARDOUS POLYMERIZATION MAY OCCUR:	0000.	CONDITIONS	TO AVOID:			
WILL NOT OCCUR:		None				
SECTION 11	- TOXICOL	OGICAL II				
Hazardous Ingredients	%	CAS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)		
Ethylene glycol (a,b,c)	1 - 5	107-21-1	4700 mg / kg Oral - rat	10876 mg / kg Inhalation - rat		
	+					
SECTION 12	2 - ECOLO	GICAL INF	ORMATION			
No data are available on the adverse effects of this mat						
chemical composition of this product it is assumed that limited quantities. However, such treatment should be e						
this mixture are classified as a Marine Pollutant.		approved for each				
SECTION 13	3 - DISPOS	AL CONSI	DERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accordance						
however, non-hazardous materials may become hazard						
Environment Parts 260 - 299" for complete waste dispo before disposing of any chemicals.	sal regulations.	. Consult your lo	ocal, state, or Federal Environ	mental Protection Agency		
SECTION 1	A TOANS					
			ORIVIATION			
PROPER SHIPPING NAME:	Not Regulated	I				
	None / None			ak Grauni Nana		
HAZARD CLASS / Pack Group: REFERENCE:	: None / None : Not Applicable	•	IATA HAZARD CLASS / Pa IMDG HAZARI	ck Group: None D CLASS: None		
IDENTIFICATION NUMBER:			RID/ADR Dangerous Goo			
LABEL:	None Required	d	Canadian TDG Class			
Noto: Transportation information provided is far referen	an anky Client	is urged to cons		YMBOLS: None		
Note: Transportation information provided is for referen TDG, and United Nations TDG information manuals for						

materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Flat Latex Mid Tone

August 26, 2002

Page 4 of 4

SECTION 15 - REGULATORY INFORMATION

02077077	S- ALGOLATON				
TSCA (Toxic substance Control Act) Components of this product are listed on the TSCA In	nventory.				
SARA TITLE III (Superfund Amendments and Reau 311/312 Hazard Categories Acute health	thorization Act)				
313 Reportable Ingredients:(a) Indicates a toxic chemical subject to annual repo Community Right-To-Know Act of 1986 and of 40 CF		ction 313 of SAR	A Title III of the Emergence	cy Planning and	
CERCLA (Comprehensive Response Compensatio (c) The Comprehensive Environmental Response, C spills to the environment of the Reportable Quantity	ompensation, and Liabili				
CPR (Canadian Controlled Products Regulations This product has been classified in accordance with t information required by the Controlled Products Regu	he hazard criteria of the Jations	Controlled Produ	ucts Regulations and the M	ISDS contains all the	
IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number	er and listed on the Cana	dian Ingredient [Disclosure List are shown i	n Section 2.	
DSL / NDSL (Canadian Domestic Substances List / Components of this product identified by CAS number document. Only ingredients classified as "hazardous	Non-Domestic Substa	nces List) or NDSL and ma	y or may not be listed in S		
EINECS (European Inventory of Existing Commerc Components of this product identified by CAS number			ting Commercial Chemica	I Substances.	
EC Risk Phrases R22 Harmful if swallowed R36 Irritating to eyes. R37 Irritating to respiratory system. R38 Irritating to skin.	 EC Safety Phrases S2 Keep out of the reach of children. S13 Keep away from food, drink and animal foodstuffs. S23 Do not breathe vapour. S24 Avoid contact with skin. S25 Avoid contact with eyes. 				
SECTIO	N 16 - OTHER I	NFORMATI	ON		
No specific notes.					
HMIS HAZARD RATINGS	HEALTH FLAMMABILITY REACTIVITY	1 0 0	0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE	3 = HIGH 4 = EXTREME	
REVISION SUMMARY:	This MSDS has been revised in the following sections: None				
MSDS Prepared by:	Comprehensive Data P.O. Box 5604 Lakeland, FL 33807 (863) 644 - 3298 w		ase.com		
MSDS Prepared by: The information contained herein is believed to be accurate nanufacturer of the product and manufacturers of the compo applicable and suited to the circumstances of use. Vendor as easonable safety procedures are not adhered to as stipulated is of this material even if reasonable safety procedures are follow described in Section 1.	P.O. Box 5604 Lakeland, FL 33807 (863) 644 - 3298 w but is not warranted to be nents of the product. User sumes no responsibility fo in the data sheet. Furtherm	USA /ww.compdataba e so. Data and ca 's are advised to o r injury to vendee ore, vendor assum	Iculations are based on info onfirm in advance of need to or third persons proximately les no responsibility for injury	hat information is curre caused by the materia y caused by abnormal u	