

Search over 350,000 MSDS's  
to get the MSDS you need FAST!



## Material Safety Data Sheet

---

SECTION I - Material Identity  
SECTION II - Manufacturer's Information  
SECTION III - Physical/Chemical Characteristics  
SECTION IV - Fire and Explosion Hazard Data  
SECTION V - Reactivity Data  
SECTION VI - Health Hazard Data  
SECTION VII - Precautions for Safe Handling and Use  
SECTION VIII - Control Measures  
SECTION IX - Label Data  
SECTION X - Transportation Data  
SECTION XI - Site Specific/Reporting Information  
SECTION XII - Ingredients/Identity Information

---

### SECTION I - Material Identity

---

Item Name	
Part Number/Trade Name	DANISH OIL FINISH
National Stock Number	8010P400131F
CAGE Code	<u>33461</u>
Part Number Indicator	A
MSDS Number	148547
HAZ Code	B

---

### SECTION II - Manufacturer's Information

---

Manufacturer Name	DEFT INC
Street	17451 VON KARMAN AVENUE
City	IRVINE
State	CA
Country	US
Zip Code	92714
Emergency Phone	714-474-0400

---

### MSDS Preparer's Information

---

Date MSDS Prepared/Revised	22NOV82
Active Indicator	N

## Alternate Vendors

---

### SECTION III - Physical/Chemical Characteristics

---

Boiling Point	316F-394F
Vapor Density	HEAV AIR
Specific Gravity	1
Evaporation Rate	SLOW ETHER
Percent Volatiles by Volume	59.5
Container Pressure Code	4
Temperature Code	8
Product State Code	U

---

### SECTION IV - Fire and Explosion Hazard Data

---

Flash Point Method	TCC
Lower Explosion Limit	1.0
Upper Explosion Limit	5.3
Extinguishing Media	CARBON DIOXIDE, FOAM, OR DRY CHEMICAL
Special Fire Fighting Procedures	DO NOT USE WATER STREAM WHICH MAY SPREAD FIRE. FINE WATER SPRAY OR FOG CAN BE USED EFFECTIVELY
Unusual Fire/Explosion Hazards	CAUTION AGAINST APPLICATION TO HOT SURFACES AND USE IN AREAS WHERE SPARKS OR OPEN FLAME MAY BE PRESENT

---

### SECTION V - Reactivity Data

---

Stability	UES
Stability Conditions to Avoid	AVOID OPEN FLAME IN VICINITY
Hazardous Polymerization	NO

---

### SECTION VI - Health Hazard Data

---

Route of Entry: Skin	YES
Route of Entry: Ingestion	NO
Route of Entry: Inhalation	YES
Health Hazards - Acute and Chronic	ACUTE: NAUSEOUS AND/OR DIZZY FEELING FROM INHALATION. THERE MAY BE SOME IRRITATION OF EYES. CHRONIC: NONE RECOGNIZED
Carcinogenity: NTP	N
Carcinogenity: IARC	N
Carcinogenity: OSHA	N
Explanation of Carcinogenity	NONE LISTED

Symptoms of Overexposure	NAUSEA, DIZZINESS, AND IRRITATION OF EYES
Emergency/First Aid Procedures	INHALE: REMOVE TO FRESH AIR. EYES FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MIN. CALL MD. SKIN: RINSE WITH LARGE AMOUNTS OF WATER FOR 15 MIN. REMOVE CONTAMINATED CLOTHING. WIPE SKIN GENTLE WITH NAPHTHA OR LACQUER THINNER SOAKED INTO CLOTH. TAKE TO MD IF NECESSARY

---

## SECTION VII - Precautions for Safe Handling and Use

---

Steps if Material Released/Spilled	CLEAN UP WITH DRY RAGS AND USE MINERAL SPIRITS OR NAPHTHA FOR FINAL CLEAN UP. DISPOSE OF RAGS IN CLOSED METAL CONTAINER. KEEP WET WITH WATER
Waste Disposal Method	IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS
Handling and Storage Precautions	USE NORMAL STORING PRECAUTIONS AS WITH ANY PAINT. KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAMES
Other Precautions	AVOID PROLONGED INHALATION OF VAPORS

---

## SECTION VIII - Control Measures

---

Respiratory Protection	GOOD ADEQUATE VENTILATION- OPEN WINDOWS OR EXHAUST FAN
Ventilation	GOOD ADEQUATE VENTILATION- OPEN WINDOWS OR EXHAUST FAN
Protective Gloves	YES
Eye Protection	YES
Other Protective Equipment	NONE
Disposal Code	0

---

## SECTION IX - Label Data

---

Protect Eye	YES
Protect Skin	YES
Protect Respiratory	NO
Chronic Indicator	UNKNOWN
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN

---

## SECTION X - Transportation Data

---

Container Quantity	1
--------------------	---

Unit of Measure

PT

---

**SECTION XI - Site Specific/Reporting Information**

---

Volatile Organic Compounds (P/G)	4.1472
Volatile Organic Compounds (G/L)	496.9956

---

**SECTION XII - Ingredients/Identity Information**

---

Ingredient #	01
Ingredient Name	135-66 MINERAL SPIRITS
CAS Number	135660
Proprietary	NO
Percent	60
ACGIH TLV	200 PPM
Ingredient #	02
Ingredient Name	BENZENE, METHYL-
CAS Number	108883
Proprietary	NO
Percent	1
ACGIH TLV	100 PPM

---