

BEES - 2

HOME ABOUT SCOTT PRODUCTS & SERVICES WHAT'S NEW TECHNICAL DATA SEARCH



- REGISTER
- ORDER STATUS
- VIEW CART

Technical Data



From SCOTT SPECIALTY GASES

877-715-8651

Technical Help Desk

Tech & Safety Data

MSDS Library

Glossary

Product Literature

Request a Quote

MATERIAL SAFETY DATA SHEETS

[← Back](#) | [Printer-Friendly](#)

MSDS No: 76

Date: 10/

SUPPLIER ADDRESS:

 6141 Easton Road, Bldg. 1
 PO Box 310
 Plumsteadville, PA 18949-0310

EMERGENCY PHONE NUMBER:

(215) 766

1. CHEMICAL PRODUCT

PRODUCT NAME: AMMONIA

SYNONYMS: Anhydrous Ammonia

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient Name	Formula	CAS #	Concentration	ACGIH TLV	Exposure Limits (PPM)		
					OSHA PEL	MAC	
AMMONIA	NH ₃	7664-41-7	99+%	25	50	25	3

Note: NE = NONE ESTABLISHED

S/A = SIMPLE ASPHYXIAN

3. HAZARD IDENTIFICATION

*** EMERGENCY OVERVIEW ***

Corrosive liquid and gas under pressure.
 Can cause eye, skin, and respiratory tract burns.

POTENTIAL HEALTH EFFECTS

ROUTES OF ENTRY: Inhalation, Skin, Eye

ACUTE EFFECTS: Irritating and corrosive to skin, eyes, respiratory tract, and mucous membrane. Symptoms include dyspnea, coughing, chest pains, and pulmonary edema. Exposure levels can cause burning and blistering of skin, permanent corneal damage and be fatal. Contact with liquid can cause severe burns of skin and eyes.

CHRONIC EFFECTS: Skin and respiratory related disease.

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None known

OTHER EFFECTS OF OVEREXPOSURE: None

CARCINOGENICITY (US ONLY):

NTP - No
IARC MONOGRAPHS - No
OSHA REGULATED - No

4. FIRST AID MEASURES

INHALATION: Immediately remove victim to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen.

EYE CONTACT: Immediately flush with copious amounts of water for at least 15 minutes.

SKIN CONTACT: Immediately flush with copious amounts of water for at least 15 minutes removing contaminated clothing.

INGESTION: None

IN EVENT OF EXPOSURE, CONSULT A PHYSICIAN

NOTE TO PHYSICIAN: None

5. FIRE FIGHTING MEASURES

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: 850 deg.C

FLAMMABLE LIMITS:

LOWER: 15%

UPPER: 25%

EXTINGUISHING MEDIA: Water spray or fog.

SPECIAL FIRE FIGHTING INSTRUCTION AND EQUIPMENT: Wear self-contained breathing apparatus and full protective clothing. Keep fire exposed cylinders cool with water spray. If possible, stop the product flow.

HAZARDOUS COMBUSTION PRODUCTS: Toxic fumes of nitrogen oxides.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Cylinder rupture may occur under fire conditions. Emits toxic fumes under fire conditions.

6. ACCIDENTAL RELEASE MEASURES

CLEAN UP PROCEDURES: Douse with water to retard atmospheric dispersion, ventilate area. Shut off source if possible and remove source of heat.

SPECIALIZED EQUIPMENT: None

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING: Secure cylinder when using to protect from falling. Use suitable hand truck to move cylinders.

PRECAUTIONS TO BE TAKEN IN STORAGE: Store in well ventilated areas. Keep valve protection cap on cylinders when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide adequate general and local exhaust ventilation to maintain concentration below exposure limits.

EYE / FACE PROTECTION: Safety glasses

SKIN PROTECTION: None

RESPIRATORY PROTECTION: In case of leakage, use self-contained breathing appar

OTHER PROTECTIVE EQUIPMENT: Safety shoes when handling cylinders.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless

ODOR: Pungent

PHYSICAL PRESSURE: Gas

VAPOR PRESSURE: @25.7 deg.C: 10 atm

VAPOR DENSITY (AIR=1): 0.597

BOILING POINT (C): -33.4

SOLUBILITY IN WATER: v/v 20 deg.C: 42.8

SPECIFIC GRAVITY (H2O=1): Gas

EVAPORATION RATE: Gas

ODOR THRESHOLD: 0.6-0.7 ppm

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal storage conditions.

CONDITIONS TO AVOID: Storage in poorly ventilated areas.Storage near a heat source

MATERIALS TO AVOID: Copper, zinc, mercury and their alloys, and strong mineral acids

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION: None

11. TOXICOLOGICAL INFORMATION

LETHAL CONCENTRATION (LC50): 7338 ppm, rat 1 hour.

LETHAL DOSE 50 (LD50): N/Ap

TERATOGENICITY: N/Ap

REPRODUCTIVE EFFECTS: N/Ap

MUTAGENICITY: N/Ap

12. ECOLOGICAL INFORMATION

No adverse ecological effects are expected.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Limited amount of gas may be released to atmosphere under appropriate conditions. Return cylinders to supplier with any valve outlet plugs or caps secured and valve protection cap in place.

14. TRANSPORT INFORMATION

CONCENTRATION: 99+%

DOT DESCRIPTION (US ONLY):

PROPER SHIPPING NAME: Ammonia, anhydrous

HAZARD CLASS: 2.2 (nonflammable)

IDENTIFICATION NUMBER: UN1005

REPORTABLE QUANTITIES: 100 lbs.

LABELING: NONFLAMMABLE GAS

ADR / RID (EU Only): Class 2, 2TC

SPECIAL PRECAUTIONS: Cylinders should be transported in a secure upright position in a well ventilated truck.

15. REGULATORY INFORMATION

OSHA: Process Safety Management: Material is not listed in appendix A of 29 CFR 191 as highly hazardous chemical.

TSCA: Material is listed in TSCA inventory.

SARA: The threshold planning quantity for this material is 500 lbs.

EU NUMBER: 231-163-5

NUMBER IN ANNEX 1 OF DIR 67/548: Material is listed in annex 1.

EU CLASSIFICATION: N/Av

R: 10, 23

S: 7/9, 16, 38

16. OTHER INFORMATION

OTHER PRECAUTIONS: Protect containers from physical damage. Do not deface cylinder labels. Cylinders should be refilled by qualified producers of compressed gas. Shipments of compressed gas cylinder which has not been filled by the owner or with his written consent is a violation of federal law (49 CFR).

ABBREVIATIONS: N/Ap - Not Applicable N/Av - Not Available SA - Simple Asphyxiant None Established

DISCLAIMER: Information included in this document is given to the best of our knowledge; however, no warranty is made that the information is accurate or complete. We do not accept any responsibility for damages by the use of the document.