according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

**Recommended use** : Floor Polish/Cleaner

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

**Emergency telephone** 

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

### Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

### Labelling

**Precautionary statements** 

Other hazards : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Diethylene glycol monoethyl ether	111-90-0	1.00 - 5.00
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	52831-04-6	1.00 - 5.00
Tributyoxyethyl phosphate	78-51-3	1.00 - 5.00

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

Hydrogen Peroxide 7722-84-1 0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Container may melt and leak in heat of fire.

**Further information** : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** : Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

### 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage : Keep container closed when not in use.

areas and containers

Other data Stable under normal conditions.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Hydrogen Peroxide	7722-84-1	1.4 mg/m3	1 ppm	-	OSHA TWA
Hydrogen Peroxide	7722-84-1	-	1 ppm	-	ACGIH TWA

### Personal protective equipment

Respiratory protection : No special requirements.

Hand protection No special requirements.

Eye protection No special requirements.

Skin and body protection No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : clear transparent

Odor : pleasant

Odour Threshold : No data available

**pH** : 8.7

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 93 °C

Flash point : does not flash

**Evaporation rate** : No data available

Flammability (solid, gas) : The product is not flammable.

Upper/lower flammability or

explosive limits

: No data available

Vapour pressure : No data available

Vapour density : No data available

Relative density : 1.026 g/cm3

Solubility(ies) : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Print Date 03/04/2015 Version 1.1

Revision Date 02/25/2015 SDS Number 350000003597

Partition coefficient: n-

octanol/water

: No data available

: No data available **Auto-ignition temperature** 

**Decomposition temperature** : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic

Compounds

Total VOC (wt. %)\*

: 0.3 % - additional exemptions may apply

\*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified

### 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases

**Hazardous decomposition** : Thermal decomposition can lead to release of irritating gases

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

**products** and vapours.

## 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : LD50

estimated > 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

exposure		
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

# 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

## Toxicity to fish

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	flow- through test LC50	Ictalurus punctatus	6,010 mg/l	96 h
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available			
Tributyoxyethyl phosphate	semi- static test LC50 Measured	Oncorhynchus mykiss (rainbow trout)	24 mg/l	96 h
Hydrogen Peroxide	LC50	Pimephales promelas (fathead minnow)	16.4 mg/l	96 h

## Toxicity to aquatic invertebrates

Components End point Species Value Expos	re
--	----

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

				time
Diethylene glycol monoethyl ether	static test EC50	Daphnia magna (Water flea)	1,982 mg/l	48 h
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available			
Tributyoxyethyl phosphate	static test EC50 Measured	Daphnia magna (Water flea)	53 mg/l	48 h
Hydrogen Peroxide	semi- static test LC50	Daphnia pulex (Water flea)	2.4 mg/l	48 h

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	static test EC50 Read- across (Analogy)	Desmodesmus subspicatus (green algae)	> 100 mg/l	96 h
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available			
Tributyoxyethyl phosphate	static test EC50	Pseudokirchneriella subcapitata (green algae)	61 mg/l	72 h
Hydrogen Peroxide	static test EC50	Skeletonema costatum	1.38 mg/l	72 h

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Diethylene glycol monoethyl ether	100 %	28 d	Readily biodegradable
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available		
Tributyoxyethyl phosphate	87 %	28 d	Readily biodegradable
Hydrogen Peroxide	> 99 %	30 min	Readily biodegradable

# **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Diethylene glycol monoethyl ether	3,162	0.54
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available	No data available
Tributyoxyethyl phosphate	5.8 Measured	3.75 Measured
Hydrogen Peroxide	No data available	-1.57

# **Mobility**

Component	End point	Value
Diethylene glycol monoethyl ether	No data available	
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene	No data available	
Tributyoxyethyl phosphate	log Koc	2.5
Hydrogen Peroxide	No data available	

## PBT and vPvB assessment

Component	Results
Diethylene glycol monoethyl	Not fulfilling PBT and vPvB criteria

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

ether	
Tributyoxyethyl phosphate	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

#### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

#### Air transport

Not classified as dangerous in the meaning of transport regulations.

#### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



# PLEDGE® FLOOR CARE MULTI-SURFACE FINISH

Version 1.1 Print Date 03/04/2015

Revision Date 02/25/2015 SDS Number 350000003597

### **16. OTHER INFORMATION**

## **HMIS Ratings**

niviio kaungs		
Health	1	
Flammability	0	
Reactivity	0	

**NFPA Ratings** 

Health	1	
Fire	0	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)